

I

Changer
Products World
2021

Chest Freezer
Series




FEATURES

Changer Beverage Cooler



Intelligent Feature




Hovering Door

Door can be opened and stay at different angles from 45° to 75°




Lock(Optional)

Safety with lock




Removable Storage Basket

Storage basket can be easily removed




Special drainage system for box body

Special drainage system, anti-corrosion and durable, keep the box clean.



Nano cell foam layer

Better improve the insulation performance of the box, better energy saving effect.




Insulation layer

Ultra thick insulation layer




ROLLERS(Optional)

Rollers for easy movement.



Efficient refrigeration

Quality compressor, efficient operation, quiet refrigeration



Three wide design, easy to operate

The "three wide design" of wide voltage, wide temperature band and wide wet band is adopted to fully adapt to the complex and changeable climate change and the use environment of different ring refrigerators.



CHEST FREEZER

Changer Top Glass Door



BD(W)-100M

Specification

Capacity(L):100
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):555x560x830mm
 Packing W*D*H(mm):595x582x869mm
 Loading Quantity 40'HC:240

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BD(W)-150M

Specification

Capacity(L):150
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):731x560x830mm
 Packing W*D*H(mm):771x582x869mm
 Loading Quantity 40'HC:180

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BD(W)-200M

Specification

Capacity(L):200
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):943x560x830mm
 Packing W*D*H(mm):983x582x869mm
 Loading Quantity 40'HC:144

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BD(W)-80

Specification

Capacity(L):80
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):530x440x830mm
 Packing W*D*H(mm):566x462x872mm
 Loading Quantity 40'HC:313

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation

CHEST FREEZER

Changer Top Glass Door



BD(W)-116

Specification

Capacity(L):100
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):580x570x830mm
 Packing W*D*H(mm):621x578x883mm
 Loading Quantity 40'HC:228

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BD(W)-131

Specification

Capacity(L):131
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):664x560x830mm
 Packing W*D*H(mm):700x580x883mm
 Loading Quantity 40'HC:203

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BD(W)-157

Specification

Capacity(L):157
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):814x560x830mm
 Packing W*D*H(mm):850x580x883mm
 Loading Quantity 40'HC:166

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BD(W)-227C

Specification

Capacity(L):227
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):834x678x830mm
 Packing W*D*H(mm):884x703x876mm
 Loading Quantity 40'HC:129

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation

CHEST FREEZER

Changer Top Glass Door



BD(W)-271C

Specification

Capacity(L):271
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):954x678x830mm
 Packing W*D*H(mm):1004x703x876mm
 Loading Quantity 40'HC:105

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BD(W)-327C

Specification

Capacity(L):327
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a/R290
 Approval:CE,CB
 Net W*D*H(mm):1104x678x830mm
 Packing W*D*H(mm):1154x703x876mm
 Loading Quantity 40'HC:102

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation

CHEST FREEZER

Changer Hard Door



BD(W)-140

Specification

Capacity(L):140
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):625x560x829mm
 Packing W*D*H(mm):666x582x870mm
 Loading Quantity 40'HC:216

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BD(W)-180

Specification

Capacity(L):180
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):755x560x829mm
 Packing W*D*H(mm):796x582x870mm
 Loading Quantity 40'HC:180

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation

CHEST FREEZER

Changer Hard Door



BD(W)-210

Specification

Capacity(L):210
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):905x560x829mm
 Packing W*D*H(mm):946x582x870mm
 Loading Quantity 40'HC:150

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BD(W)-240

Specification

Capacity(L):240
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):988x560x829mm
 Packing W*D*H(mm):1029x582x870mm
 Loading Quantity 40'HC:138

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BD(W)-280

Specification

Capacity(L):280
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):1145x560x829mm
 Packing W*D*H(mm):1186x582x870mm
 Loading Quantity 40'HC:118

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BD(W)-330

Specification

Capacity(L):330
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):1242x560x829mm
 Packing W*D*H(mm):1283x582x870mm
 Loading Quantity 40'HC:108

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation

CHEST FREEZER

Changer Hard Door



BD(W)-370

Specification

Capacity(L):370
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):1422x560x829mm
 Packing W*D*H(mm):1463x582x870mm
 Loading Quantity 40'HC:96

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BD(W)-430

Specification

Capacity(L):430
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):1640x560x829mm
 Packing W*D*H(mm):1681x582x870mm
 Loading Quantity 40'HC:84

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BD(W)-60

Specification

Capacity(L):60
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):530x465x600mm
 Packing W*D*H(mm):585x500x645mm
 Loading Quantity 40'HC:384

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BD(W)-70

Specification

Capacity(L):70
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):404x610x830mm
 Packing W*D*H(mm):435x625x867mm
 Loading Quantity 40'HC:300

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation

CHEST FREEZER

Changer Hard Door



BD(W)-80

Specification

Capacity(L):80
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):530x440x830mm
 Packing W*D*H(mm):566x462x872mm
 Loading Quantity 40'HC:313

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BD(W)-100

Specification

Capacity(L):100
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):544x610x830mm
 Packing W*D*H(mm):575x625x867mm
 Loading Quantity 40'HC:228

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BD(W)-116

Specification

Capacity(L):116
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):580x570x830mm
 Packing W*D*H(mm):621x578x883mm
 Loading Quantity 40'HC:228

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BD(W)-131

Specification

Capacity(L):131
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):664x560x830mm
 Packing W*D*H(mm):700x580x883mm
 Loading Quantity 40'HC:203

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation

CHEST FREEZER

Changer Hard Door



BD(W)-157

Specification

Capacity(L):157
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):814x560x830mm
 Packing W*D*H(mm):850x580x883mm
 Loading Quantity 40'HC:166

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BD(W)-227

Specification

Capacity(L):227
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):834x670x830mm
 Packing W*D*H(mm):885x685x885mm
 Loading Quantity 40'HC:129

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BD(W)-271

Specification

Capacity(L):271
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):954x670x830mm
 Packing W*D*H(mm):1005x685x885mm
 Loading Quantity 40'HC:105

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BD(W)-327

Specification

Capacity(L):327
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a/R290
 Approval:CE,CB
 Net W*D*H(mm):1104x670x830mm
 Packing W*D*H(mm):1155x685x885mm
 Loading Quantity 40'HC:102

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation

CHEST FREEZER

Changer Hard Door



BD(W)-363

Specification

Capacity(L):363
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a/R290
 Approval:CE,CB
 Net W*D*H(mm):1304x670x830mm
 Packing W*D*H(mm):1355x685x885 mm
 Loading Quantity 40'HC:75

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BD(W)-423

Specification

Capacity(L):423
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB
 Net W*D*H(mm):1480x670x830mm
 Packing W*D*H(mm):1535x685x885 mm
 Loading Quantity 40'HC:72

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BD(W)-520

Specification

Capacity(L):520
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB
 Net W*D*H(mm):1600x760x827mm
 Packing W*D*H(mm):1650x775x868mm
 Loading Quantity 40'HC:63

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BD(W)-600

Specification

Capacity(L):600
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB
 Net W*D*H(mm):1800x760x827mm
 Packing W*D*H(mm):1850x775x868mm
 Loading Quantity 40'HC:57

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation

Optional Part



Outside Condenser Door LED Lamp Sliding glass door Inner divider Cool Pack Steel wire Basket Plastic Basket

CHEST FREEZER

Changer Hard Door



BD(W)-980

Specification

Capacity(L):980
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB
 Net W*D*H(mm):1975x1040x941.5mm
 Packing W*D*H(mm):2055x1076x1048mm
 Loading Quantity 40'HC:22

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BD(W)-197C

Specification

Capacity(L):197
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):720x678x830mm
 Packing W*D*H(mm):770x703x876mm
 Loading Quantity 40'HC:153

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BD(W)-227C

Specification

Capacity(L):227
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):834x678x830mm
 Packing W*D*H(mm):884x703x876mm
 Loading Quantity 40'HC:129

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BD(W)-271C

Specification

Capacity(L):271
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):954x678x830mm
 Packing W*D*H(mm):1004x703x876mm
 Loading Quantity 40'HC:105

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



Series F

Series H

CHEST FREEZER

Changer Hard Door



BD(W)-327C

Specification

Capacity(L):327
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a/R290
 Approval:CE,CB
 Net W*D*H(mm):1104x678x830mm
 Packing W*D*H(mm):1154x703x876mm
 Loading Quantity 40'HC:102

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BD(W)-363C

Specification

Capacity(L):363
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB
 Net W*D*H(mm):1304x678x830mm
 Packing W*D*H(mm):1354x703x876mm
 Loading Quantity 40'HC:75

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BD(W)-423C

Specification

Capacity(L):423
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB
 Net W*D*H(mm):1444x678x830mm
 Packing W*D*H(mm):1494x703x876mm
 Loading Quantity 40'HC:72

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BD(W)-100E

Specification

Capacity(L):100
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):555x560x829mm
 Packing W*D*H(mm):595x582x869mm
 Loading Quantity 40'HC:240

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation

CHEST FREEZER

Changer Hard Door



BD(W)-150E

Specification

Capacity(L):150
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):755x560x829mm
 Packing W*D*H(mm):795x582x869mm
 Loading Quantity 40'HC:180

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BD(W)-200E

Specification

Capacity(L):200
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):965x560x829mm
 Packing W*D*H(mm):1005x582x869mm
 Loading Quantity 40'HC:138

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BD(W)-300E

Specification

Capacity(L):300
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):1045x765x829mm
 Packing W*D*H(mm):1085x766x884mm
 Loading Quantity 40'HC:98

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BD(W)-170I

Specification

Capacity(L):170
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a
 Approval:/
 Net W*D*H(mm):791x521x865mm
 Packing W*D*H(mm):866x598x911mm
 Loading Quantity 40'HC:124

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation

CHEST FREEZER

Changer Hard Door



BD(W)-210I

Specification

Capacity(L):210
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a
 Approval:/
 Net W*D*H(mm):956x521x865mm
 Packing W*D*H(mm):1031x598x911mm
 Loading Quantity 40'HC:112

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BD(W)-240I

Specification

Capacity(L):240
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a
 Approval:/
 Net W*D*H(mm):1036x556x865mm
 Packing W*D*H(mm):1111x633x911mm
 Loading Quantity 40'HC:96

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BD(W)-340I

Specification

Capacity(L):340
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a
 Approval:/
 Net W*D*H(mm):1236x606x865mm
 Packing W*D*H(mm):1311x683x911mm
 Loading Quantity 40'HC:72

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BD(W)-170S

Specification

Capacity(L):170
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:/
 Net W*D*H(mm):791x585x832mm
 Packing W*D*H(mm):832x598x885mm
 Loading Quantity 40'HC:160

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation

CHEST FREEZER

Changer Hard Door



BD(W)-210S

Specification

Capacity(L):210
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:/
 Net W*D*H(mm):956x586x830mm
 Packing W*D*H(mm):998x597x883mm
 Loading Quantity 40'HC:132

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BD(W)-240S

Specification

Capacity(L):240
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:/
 Net W*D*H(mm):1036x602x830mm
 Packing W*D*H(mm):1080x617x883mm
 Loading Quantity 40'HC:123

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BD(W)-340S

Specification

Capacity(L):340
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:/
 Net W*D*H(mm):1236x666x830mm
 Packing W*D*H(mm):1280x683x883mm
 Loading Quantity 40'HC:81

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BCD(W)-211

Specification

Capacity(L):211
 Freezer capacity(L):110
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:/
 Net W*D*H(mm):956x586x830mm
 Packing W*D*H(mm):998x597x883mm
 Loading Quantity 40'HC:132

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation

CHEST FREEZER

Changer Hard Door



BCD(W)-241

Specification

Capacity(L):241
 Freezer capacity(L):125
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:/
 Net W*D*H(mm):1036x616x830mm
 Packing W*D*H(mm):1080x633x883mm
 Loading Quantity 40'HC:123

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BCD(W)-291

Specification

Capacity(L):291
 Freezer capacity(L):152
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:/
 Net W*D*H(mm):1176x616x830mm
 Packing W*D*H(mm):1220x633x883mm
 Loading Quantity 40'HC:84

Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation



BCD(W)-341

Specification

Capacity(L):341
 Freezer capacity(L):177
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:/
 Net W*D*H(mm):1236x666x830mm
 Packing W*D*H(mm):1280x683x883mm
 Loading Quantity 40'HC:81


Standard Features

Low temperature cell freezer
 Different temperature and climate zone, safe use
 Thermal door seal, multiple air bag lock and heat insulation
 Fast cooling, more lasting preservation
 High efficiency compressor
 Multi gear temperature control, free switching
 Low noise, quiet operation

CHEST FREEZER

Changer Hard Door


Available control panels



Available handles



Available basket



Steel wire Basket

Plastic Basket

III

Changer
Products World
2021

Upright Freezer
Single door Refrigerator
Series



FEATURES

Changer Upright Freezer Single door Refrigerator



Classified storage of food




Fashion lighting design

Open the door and pick up the things at a glance.



Aqueduct

Unique design of water flow pipe, no need to worry about water accumulation in the box.



Sealing strip

Double layer sealing strip to prevent loss of cooling capacity



Solid hinge

Strong hinge design, strong and durable.



Layered shelf

Strong and strong, stronger bearing capacity.



Glass door

Simple glass door body, more fashionable, more beautiful.



Single Door Refrigerator

Available handles:

MODEL	A	B	C	D	NO.1	NO.2	NO.5	NO.6
BC-105				○				
BC-170	○	○	○		○	○	○	○
BC-200	○	○	○		○	○	○	○
BC-230	○	○			○	○	○	○

Upright Freezer

Available handles:

MODEL	C	D	NO.1	NO.2	NO.3	NO.4	NO.5	NO.6	NO.7	NO.8	NO.9
BD-245			○	○		○	○	○			○
BD-285			○	○		○	○	○			○
BD-330								○	○	○	○
BD-80		○						○			
BD-122		○						○			
BD-100	○	○						○			
BD-152	○	○						○			
BD-182	○	○						○	○	○	
BD-216	○	○						○	○	○	
BD-220								○	○	○	○
BD-250								○	○	○	○
BD-280								○	○	○	○
BD-280B			○	○		○	○	○			○
BD-310B			○	○		○	○	○			○
BD-310								○	○	○	○
BD-350								○	○	○	○

Upright Freezer

Changer Upright Freezer



BD-245

Specification

Capacity(L):245
Temperature:≤ -18°C
Climate:N/ST/T
Refrigerant:R134a
Approval:CB
Net W*D*H(mm):600x620x1495mm
Packing W*D*H(mm):662x650x1537mm
Loading Quantity 40'HC:101

Standard Features

Small, big.
Low noise operation, quiet preservation.
Intimate design, ingenious quality.
Temperature control multi gear adjustment
Microcellular foam is long and fresh.
Double width design, stable operation
Environmental protection refrigerant, energy saving and environmental protection



BD-285

Specification

Capacity(L):285
Temperature:≤ -18°C
Climate:N/ST/T
Refrigerant:R134a
Approval:CB
Net W*D*H(mm):600x620x1690mm
Packing W*D*H(mm):662x650x1732mm
Loading Quantity 40'HC:80

Standard Features

Small, big.
Low noise operation, quiet preservation.
Intimate design, ingenious quality.
Temperature control multi gear adjustment
Microcellular foam is long and fresh.
Double width design, stable operation
Environmental protection refrigerant, energy saving and environmental protection



BD-330

Specification

Capacity(L):330
Temperature:≤ -18°C
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB,ETL
Net W*D*H(mm):600x680x1778mm
Packing W*D*H(mm):660x684x1834mm
Loading Quantity 40'HC:72

Standard Features

Small, big.
Low noise operation, quiet preservation.
Intimate design, ingenious quality.
Temperature control multi gear adjustment
Microcellular foam is long and fresh.
Double width design, stable operation
Environmental protection refrigerant, energy saving and environmental protection



BD-80

Specification

Capacity(L):80
Temperature:≤ -18°C
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:/
Net W*D*H(mm):495x545x860mm
Packing W*D*H(mm):525x570x920mm
Loading Quantity 40'HC:228

Standard Features

Small, big.
Low noise operation, quiet preservation.
Intimate design, ingenious quality.
Temperature control multi gear adjustment
Microcellular foam is long and fresh.
Double width design, stable operation
Environmental protection refrigerant, energy saving and environmental protection

Upright Freezer

Changer Upright Freezer



BD-122

Specification

Capacity(L):122
Temperature:≤ -18°C
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:/
Net W*D*H(mm):475x545x1160mm
Packing W*D*H(mm):540x593x1225mm
Loading Quantity 40'HC:160

Standard Features

Small, big.
Low noise operation, quiet preservation.
Intimate design, ingenious quality.
Temperature control multi gear adjustment
Microcellular foam is long and fresh.
Double width design, stable operation
Environmental protection refrigerant, energy saving and environmental protection



BD-100

Specification

Capacity(L):100
Temperature:≤ -18°C
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):545x542x838mm
Packing W*D*H(mm):570x595x882mm
Loading Quantity 40'HC:240

Standard Features

Small, big.
Low noise operation, quiet preservation.
Intimate design, ingenious quality.
Temperature control multi gear adjustment
Microcellular foam is long and fresh.
Double width design, stable operation
Environmental protection refrigerant, energy saving and environmental protection



BD-152

Specification

Capacity(L):152
Temperature:≤ -18°C
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):545x542x1144mm
Packing W*D*H(mm):570x595x1188mm
Loading Quantity 40'HC:160

Standard Features

Small, big.
Low noise operation, quiet preservation.
Intimate design, ingenious quality.
Temperature control multi gear adjustment
Microcellular foam is long and fresh.
Double width design, stable operation
Environmental protection refrigerant, energy saving and environmental protection



BD-182

Specification

Capacity(L):182
Temperature:≤ -18°C
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):545x542x1298mm
Packing W*D*H(mm):570x595x1341mm
Loading Quantity 40'HC:155

Standard Features

Small, big.
Low noise operation, quiet preservation.
Intimate design, ingenious quality.
Temperature control multi gear adjustment
Microcellular foam is long and fresh.
Double width design, stable operation
Environmental protection refrigerant, energy saving and environmental protection

Upright Freezer

Changer Upright Freezer



BD-216

Specification

Capacity(L):216
Temperature:≤ -18°C
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):545x542x1450mm
Packing W*D*H(mm):570x595x1494mm
Loading Quantity 40'HC:142

Standard Features

Small, big.
Low noise operation, quiet preservation.
Intimate design, ingenious quality.
Temperature control multi gear adjustment
Microcellular foam is long and fresh.
Double width design, stable operation
Environmental protection refrigerant, energy saving and environmental protection



BD-220

Specification

Capacity(L):220
Temperature:≤ -18°C
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):600x680x1328mm
Packing W*D*H(mm):660x684x1387mm
Loading Quantity 40'HC:100

Standard Features

Small, big.
Low noise operation, quiet preservation.
Intimate design, ingenious quality.
Temperature control multi gear adjustment
Microcellular foam is long and fresh.
Double width design, stable operation
Environmental protection refrigerant, energy saving and environmental protection



BD-250

Specification

Capacity(L):250
Temperature:≤ -18°C
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):600x680x1478mm
Packing W*D*H(mm):660x684x1534mm
Loading Quantity 40'HC:88

Standard Features

Small, big.
Low noise operation, quiet preservation.
Intimate design, ingenious quality.
Temperature control multi gear adjustment
Microcellular foam is long and fresh.
Double width design, stable operation
Environmental protection refrigerant, energy saving and environmental protection



BD-280

Specification

Capacity(L):280
Temperature:≤ -18°C
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):600x680x1628mm
Packing W*D*H(mm):660x684x1684mm
Loading Quantity 40'HC:84

Standard Features

Small, big.
Low noise operation, quiet preservation.
Intimate design, ingenious quality.
Temperature control multi gear adjustment
Microcellular foam is long and fresh.
Double width design, stable operation
Environmental protection refrigerant, energy saving and environmental protection

Upright Freezer

Changer Upright Freezer



BD-280B

Specification

Capacity(L):280
Temperature:≤ -18°C
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):600x620x1495mm
Packing W*D*H(mm):662x650x1537mm
Loading Quantity 40'HC:101

Standard Features

Small, big.
Low noise operation, quiet preservation.
Intimate design, ingenious quality.
Temperature control multi gear adjustment
Microcellular foam is long and fresh.
Double width design, stable operation
Environmental protection refrigerant, energy saving and environmental protection



BD-310B

Specification

Capacity(L):310
Temperature:≤ -18°C
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB,ETL
Net W*D*H(mm):600x620x1690mm
Packing W*D*H(mm):662x650x1732mm
Loading Quantity 40'HC:80

Standard Features

Small, big.
Low noise operation, quiet preservation.
Intimate design, ingenious quality.
Temperature control multi gear adjustment
Microcellular foam is long and fresh.
Double width design, stable operation
Environmental protection refrigerant, energy saving and environmental protection



BD-310

Specification

Capacity(L):310
Temperature:≤ -18°C
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB,ETL
Net W*D*H(mm):600x680x1778mm
Packing W*D*H(mm):660x684x1834mm
Loading Quantity 40'HC:72

Standard Features

Small, big.
Low noise operation, quiet preservation.
Intimate design, ingenious quality.
Temperature control multi gear adjustment
Microcellular foam is long and fresh.
Double width design, stable operation
Environmental protection refrigerant, energy saving and environmental protection



BD-350

Specification

Capacity(L):350
Temperature:≤ -18°C
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB,ETL
Net W*D*H(mm):600x680x1778mm
Packing W*D*H(mm):660x684x1834mm
Loading Quantity 40'HC:72

Standard Features

Small, big.
Low noise operation, quiet preservation.
Intimate design, ingenious quality.
Temperature control multi gear adjustment
Microcellular foam is long and fresh.
Double width design, stable operation
Environmental protection refrigerant, energy saving and environmental protection

Single Door Refrigerator

Changer Single door Refrigerator



BC-105CZ

Specification

Capacity(L):105
Freezer Volume(L):10
Temperature:≤ -9°C
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):445x468x830mm
Packing W*D*H(mm):460x500x870mm
Loading Quantity 40'HC:358

Standard Features

Small, big.
Low noise operation, quiet preservation.
Intimate design, ingenious quality.
Temperature control multi gear adjustment
Microcellular foam is long and fresh.
Double width design, stable operation
Environmental protection refrigerant, energy saving and environmental protection



BC-170

Specification

Capacity(L):170
Freezer Volume(L):27
Temperature:≤ -9°C
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):520x540x1080mm
Packing W*D*H(mm):580x580x1120mm
Loading Quantity 40'HC:168(without base)
160(with base)

Standard Features

Small, big.
Low noise operation, quiet preservation.
Intimate design, ingenious quality.
Temperature control multi gear adjustment
Microcellular foam is long and fresh.
Double width design, stable operation
Environmental protection refrigerant, energy saving and environmental protection



BD-200

Specification

Capacity(L):200
Freezer Volume(L):27
Temperature:≤ -9°C
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):520x540x1220mm
Packing W*D*H(mm):580x580x1235mm
Loading Quantity 40'HC:160(without base)
160(with base)

Standard Features

Small, big.
Low noise operation, quiet preservation.
Intimate design, ingenious quality.
Temperature control multi gear adjustment
Microcellular foam is long and fresh.
Double width design, stable operation
Environmental protection refrigerant, energy saving and environmental protection



BD-230

Specification

Capacity(L):230
Freezer Volume(L):34
Temperature:≤ -9°C
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):520x540x1360mm
Packing W*D*H(mm):580x580x1375mm
Loading Quantity 40'HC:146(without base)
144(with base)

Standard Features

Small, big.
Low noise operation, quiet preservation.
Intimate design, ingenious quality.
Temperature control multi gear adjustment
Microcellular foam is long and fresh.
Double width design, stable operation
Environmental protection refrigerant, energy saving and environmental protection

IV

Changer
Products World
2021

Double-door Refrigerator
Series



FEATURES

Changer Double-door Refrigerator


Sort frame

Separate storage of food is conducive to the effective classification of food storage, more convenient and healthy.



Water dispenser

The water intake of the door body is designed so that it is more convenient to use the ice water without opening the door, so as to prevent the loss of cooling capacity of the cabinet. Novel appearance design, simple and fashionable.



Transparent drawer cabinet

Transparent materials, so that the body of the cabinet items at a glance, more intuitive eye-catching



Efficient refrigerant

High efficiency refrigerant is a new type of refrigerant with good performance and has great potential of evaporation and cooling;



Mute

Let the family better sleep, from disturb



Energy saving

Saving energy and reducing consumption, better protection of the environment




Refrigeration optimization

Performance matching is more reasonable, refrigeration science, more efficient



Environmental protection

Environment-friendly Technology



Three wide design, easy to operate

The "three wide design" of wide voltage, wide temperature band and wide wet band is adopted to fully adapt to the complex and changeable climate change and the use environment of different ring refrigerators.

Double-door Refrigerator

Changer Double-door Refrigerator



BCD-125

Specification

Capacity(L):125
 Freezer Capacity(L):40
 Refrigerator Capacity(L):85
 Climate:N/ST/T
 Refrigerant:R134a
 Approval:CE,CB
 Net W*D*H(mm):450x490x1135mm
 Packing W*D*H(mm):460x520x1170mm
 Loading Quantity 40'HC:230

Standard Features

Low noise operation, quiet preservation.
 Intimate design, ingenious quality.
 Temperature control multi gear adjustment
 Microcellular foam is long and fresh.
 Double width design, stable operation
 Store fresh in different areas and adjust as you please
 Strong refrigeration, energy saving and environmental protection



BCD-150

Specification

Capacity(L):150
 Freezer Capacity(L):48
 Refrigerator Capacity(L):102
 Climate:N/ST/T
 Refrigerant:R134a
 Approval:CE,CB
 Net W*D*H(mm):450x490x1300mm
 Packing W*D*H(mm):460x520x1335mm
 Loading Quantity 40'HC:230

Standard Features

Low noise operation, quiet preservation.
 Intimate design, ingenious quality.
 Temperature control multi gear adjustment
 Microcellular foam is long and fresh.
 Double width design, stable operation
 Store fresh in different areas and adjust as you please
 Strong refrigeration, energy saving and environmental protection



BCD-250

Specification

Capacity(L):250
 Freezer Capacity(L):64
 Refrigerator Capacity(L):186
 Climate:N/ST/T
 Refrigerant:R134a
 Approval:CE,CB
 Net W*D*H(mm):540x560x1400mm
 Packing W*D*H(mm):570x590x1445mm
 Loading Quantity 40'HC:144

Standard Features

Low noise operation, quiet preservation.
 Intimate design, ingenious quality.
 Temperature control multi gear adjustment
 Microcellular foam is long and fresh.
 Double width design, stable operation
 Store fresh in different areas and adjust as you please
 Strong refrigeration, energy saving and environmental protection



BCD-250CZ

Specification

Capacity(L):250
 Freezer Capacity(L):64
 Refrigerator Capacity(L):186
 Climate:N/ST/T
 Refrigerant:R134a
 Approval:CE,CB
 Net W*D*H(mm):540x560x1400mm
 Packing W*D*H(mm):570x590x1445mm
 Loading Quantity 40'HC:144

Standard Features

Low noise operation, quiet preservation.
 Intimate design, ingenious quality.
 Temperature control multi gear adjustment
 Microcellular foam is long and fresh.
 Double width design, stable operation
 Store fresh in different areas and adjust as you please
 Strong refrigeration, energy saving and environmental protection

Double-door Refrigerator

Changer Double-door Refrigerator



BCD-258CZ

Specification

Capacity(L):258
 Freezer Capacity(L):65
 Refrigerator Capacity(L):193
 Climate:N/ST/T
 Refrigerant:R134a
 Approval:CE,CB
 Net W*D*H(mm):540x560x1450mm
 Packing W*D*H(mm):580x610x1500mm
 Loading Quantity 40'HC:130

Standard Features

Low noise operation, quiet preservation.
 Intimate design, ingenious quality.
 Temperature control multi gear adjustment
 Microcellular foam is long and fresh.
 Double width design, stable operation
 Store fresh in different areas and adjust as you please
 Strong refrigeration, energy saving and environmental protection



BCD-350CZ

Specification

Capacity(L):350
 Freezer Capacity(L):82
 Refrigerator Capacity(L):268
 Climate:N/ST/T
 Refrigerant:R134a
 Approval:CE,CB
 Net W*D*H(mm):600x600x1630mm
 Packing W*D*H(mm):662x620x1672mm
 Loading Quantity 40'HC:104

Standard Features

Low noise operation, quiet preservation.
 Intimate design, ingenious quality.
 Temperature control multi gear adjustment
 Microcellular foam is long and fresh.
 Double width design, stable operation
 Store fresh in different areas and adjust as you please
 Strong refrigeration, energy saving and environmental protection



BCD-468CZ

Specification

Capacity(L):468
 Freezer Capacity(L):128
 Refrigerator Capacity(L):340
 Climate:N/ST/T
 Refrigerant:R134a
 Approval:CE,CB
 Net W*D*H(mm):700x630x1776mm
 Packing W*D*H(mm):762x660x1817mm
 Loading Quantity 40'HC:76

Standard Features

Low noise operation, quiet preservation.
 Intimate design, ingenious quality.
 Temperature control multi gear adjustment
 Microcellular foam is long and fresh.
 Double width design, stable operation
 Store fresh in different areas and adjust as you please
 Strong refrigeration, energy saving and environmental protection



BCD-506CZ

Specification

Capacity(L):506
 Freezer Capacity(L):128
 Refrigerator Capacity(L):378
 Climate:N/ST/T
 Refrigerant:R134a
 Approval:CE,CB
 Net W*D*H(mm):700x630x1896mm
 Packing W*D*H(mm):762x660x1937mm
 Loading Quantity 40'HC:72

Standard Features

Low noise operation, quiet preservation.
 Intimate design, ingenious quality.
 Temperature control multi gear adjustment
 Microcellular foam is long and fresh.
 Double width design, stable operation
 Store fresh in different areas and adjust as you please
 Strong refrigeration, energy saving and environmental protection

Double-door Refrigerator

Changer Double-door Refrigerator



BCD-80

Specification

Capacity(L):80
 Freezer Capacity(L):24
 Refrigerator Capacity(L):56
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):430x440x850mm
 Packing W*D*H(mm):465x475x890mm
 Loading Quantity 40'HC:373

Standard Features

Low noise operation, quiet preservation.
 Intimate design, ingenious quality.
 Temperature control multi gear adjustment
 Microcellular foam is long and fresh.
 Double width design, stable operation
 Store fresh in different areas and adjust as you please
 Strong refrigeration, energy saving and environmental protection



BCD-90

Specification

Capacity(L):90
 Freezer Capacity(L):27
 Refrigerator Capacity(L):63
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):470x495x850mm
 Packing W*D*H(mm):515x555x890mm
 Loading Quantity 40'HC:276

Standard Features

Low noise operation, quiet preservation.
 Intimate design, ingenious quality.
 Temperature control multi gear adjustment
 Microcellular foam is long and fresh.
 Double width design, stable operation
 Store fresh in different areas and adjust as you please
 Strong refrigeration, energy saving and environmental protection




BCD-258

Specification

Capacity(L):258
 Freezer Capacity(L):65
 Refrigerator Capacity(L):193
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):540x560x1450mm
 Packing W*D*H(mm):580x610x1500mm
 Loading Quantity 40'HC:130

Standard Features

Low noise operation, quiet preservation.
 Intimate design, ingenious quality.
 Temperature control multi gear adjustment
 Microcellular foam is long and fresh.
 Double width design, stable operation
 Store fresh in different areas and adjust as you please
 Strong refrigeration, energy saving and environmental protection



BCD-280

Specification

Capacity(L):280
 Freezer Capacity(L):65
 Refrigerator Capacity(L):215
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):540x600x1560mm
 Packing W*D*H(mm):580x610x1610mm
 Loading Quantity 40'HC:117

Standard Features

Low noise operation, quiet preservation.
 Intimate design, ingenious quality.
 Temperature control multi gear adjustment
 Microcellular foam is long and fresh.
 Double width design, stable operation
 Store fresh in different areas and adjust as you please
 Strong refrigeration, energy saving and environmental protection

Double-door Refrigerator

Changer Double-door Refrigerator



BCD-350

Specification

Capacity(L):350
 Freezer Capacity(L):82
 Refrigerator Capacity(L):268
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):600x600x1630mm
 Packing W*D*H(mm):662x620x1672mm
 Loading Quantity 40'HC:104

Standard Features

Low noise operation, quiet preservation.
 Intimate design, ingenious quality.
 Temperature control multi gear adjustment
 Microcellular foam is long and fresh.
 Double width design, stable operation
 Store fresh in different areas and adjust as you please
 Strong refrigeration, energy saving and environmental protection



BCD-370

Specification

Capacity(L):370
 Freezer Capacity(L):82
 Refrigerator Capacity(L):288
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):600x600x1750mm
 Packing W*D*H(mm):662x620x1792mm
 Loading Quantity 40'HC:76

Standard Features

Low noise operation, quiet preservation.
 Intimate design, ingenious quality.
 Temperature control multi gear adjustment
 Microcellular foam is long and fresh.
 Double width design, stable operation
 Store fresh in different areas and adjust as you please
 Strong refrigeration, energy saving and environmental protection



BCD-468

Specification

Capacity(L):468
 Freezer Capacity(L):128
 Refrigerator Capacity(L):340
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):700x630x1776mm
 Packing W*D*H(mm):762x660x1817mm
 Loading Quantity 40'HC:76

Standard Features

Low noise operation, quiet preservation.
 Intimate design, ingenious quality.
 Temperature control multi gear adjustment
 Microcellular foam is long and fresh.
 Double width design, stable operation
 Store fresh in different areas and adjust as you please
 Strong refrigeration, energy saving and environmental protection



BCD-506

Specification

Capacity(L):506
 Freezer Capacity(L):128
 Refrigerator Capacity(L):378
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):700x630x1896mm
 Packing W*D*H(mm):762x660x1937mm
 Loading Quantity 40'HC:72

Standard Features

Low noise operation, quiet preservation.
 Intimate design, ingenious quality.
 Temperature control multi gear adjustment
 Microcellular foam is long and fresh.
 Double width design, stable operation
 Store fresh in different areas and adjust as you please
 Strong refrigeration, energy saving and environmental protection

Double-door Refrigerator

Changer Double-door Refrigerator



BCD-498

Specification

Capacity(L):498
 Freezer Capacity(L):136
 Refrigerator Capacity(L):362
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):700x695x1776mm
 Packing W*D*H(mm):762x725x1817mm
 Loading Quantity 40'HC:67

Standard Features

Low noise operation, quiet preservation.
 Intimate design, ingenious quality.
 Temperature control multi gear adjustment
 Microcellular foam is long and fresh.
 Double width design, stable operation
 Store fresh in different areas and adjust as you please
 Strong refrigeration, energy saving and environmental protection



BCD-536

Specification

Capacity(L):536
 Freezer Capacity(L):136
 Refrigerator Capacity(L):400
 Climate:N/ST/T
 Refrigerant:R600a/R134a
 Approval:CE,CB
 Net W*D*H(mm):700x695x1896mm
 Packing W*D*H(mm):762x725x1937mm
 Loading Quantity 40'HC:66

Standard Features

Low noise operation, quiet preservation.
 Intimate design, ingenious quality.
 Temperature control multi gear adjustment
 Microcellular foam is long and fresh.
 Double width design, stable operation
 Store fresh in different areas and adjust as you please
 Strong refrigeration, energy saving and environmental protection

Available handles:

MODEL	A	C	NO.1	NO.2	NO.3	NO.4	NO.6
BCD-125							<input type="checkbox"/>
BCD-150							<input type="checkbox"/>
BCD-250							<input type="checkbox"/>
BCD-250CZ							<input type="checkbox"/>
BCD-258CZ	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
BCD-350CZ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
BCD-468CZ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
BCD-506CZ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
BCD-80	<input type="checkbox"/>	<input type="checkbox"/>					
BCD-90	<input type="checkbox"/>	<input type="checkbox"/>					
BCD-258	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
BCD-280	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
BCD-350	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
BCD-370	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
BCD-468	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
BCD-506	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
BCD-498	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
BCD-536	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

II

Changer
Products World
2021

Showcase Freezer



FEATURES

Changer Showcase Freezer




Unique water box design

Hidden water box design, beautiful, easy to change.



Lock(Optional)

Safety with lock



Special drainage system for box body

Special drainage system, anti-corrosion and durable, keep the box clean.



Universal wheel

Easy to move in different directions




Removable Storage Basket

Storage basket can be easily removed



Efficient refrigeration

Quality compressor, efficient operation, quiet refrigeration



Three wide design, easy to operate

The "three wide design" of wide voltage, wide temperature band and wide wet band is adopted to fully adapt to the complex and changeable climate change and the use environment of different ring refrigerators.



Advertising light box, backlight design

Publicity can highlight the selling points of commodities, and the backlight design can make the products more colorful and attract the attention of consumers.



Full perspective large window, curved surface design

Full perspective glass window, highlight the good side of the product, the height position is clear at a glance, the display effect is better.

SHOWCASE FREEZER

Changer Showcase Freezer



SC/SD(W)-256A

SC/SD(W)-336A

SC/SD(W)-396A

SC/SD(W)-456A

Specification

Capacity(L):256
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB,ETL
 Net W*D*H(mm):834x653x900mm
 Packing W*D*H(mm):880x720x880mm
 Loading Quantity 40'HC:126

Specification

Capacity(L):336
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB,ETL
 Net W*D*H(mm):1034x653x900mm
 Packing W*D*H(mm):1080x720x880mm
 Loading Quantity 40'HC:99

Specification

Capacity(L):396
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB,ETL
 Net W*D*H(mm):1234x653x900mm
 Packing W*D*H(mm):1280x720x880mm
 Loading Quantity 40'HC:81

Specification

Capacity(L):456
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB,ETL
 Net W*D*H(mm):1434x653x900mm
 Packing W*D*H(mm):1480x720x880mm
 Loading Quantity 40'HC:72

Standard Features

Quick and Deep Freezing
 Mechanical Temperature Control with Adjustable Thermostat
 Environment-friendly Technology
 Fashionable Appearance
 Unique Design of Advertisement Bar
 Environment-friendly Technology
 Low Energy Consumption
 Convenience Weels Design for Easy Moving

Standard Features

Quick and Deep Freezing
 Mechanical Temperature Control with Adjustable Thermostat
 Environment-friendly Technology
 Fashionable Appearance
 Unique Design of Advertisement Bar
 Environment-friendly Technology
 Low Energy Consumption
 Convenience Weels Design for Easy Moving

Standard Features

Quick and Deep Freezing
 Mechanical Temperature Control with Adjustable Thermostat
 Environment-friendly Technology
 Fashionable Appearance
 Unique Design of Advertisement Bar
 Environment-friendly Technology
 Low Energy Consumption
 Convenience Weels Design for Easy Moving

Standard Features

Quick and Deep Freezing
 Mechanical Temperature Control with Adjustable Thermostat
 Environment-friendly Technology
 Fashionable Appearance
 Unique Design of Advertisement Bar
 Environment-friendly Technology
 Low Energy Consumption
 Convenience Weels Design for Easy Moving



Inner LED Lamp Available



Temperature Display Available

SHOWCASE FREEZER

Changer Showcase Freezer



SC/SD(W)-516A

Specification

Capacity(L):516
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB,ETL
 Net W*D*H(mm):1634x653x900mm
 Packing W*D*H(mm):1680x720x880mm
 Loading Quantity 40'HC:63

Standard Features

Quick and Deep Freezing
 Mechanical Temperature Control with Adjustable Thermostat
 Environment-friendly Technology
 Fashionable Appearance
 Unique Design of Advertisement Bar
 Environment-friendly Technology
 Low Energy Consumption
 Convenience Weels Design for Easy Moving



Inner LED Lamp Available



Temperature Display Available



SC/SD(W)-256B

Specification

Capacity(L):256
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB,ETL
 Net W*D*H(mm):834x653x900mm
 Packing W*D*H(mm):880x720x880mm
 Loading Quantity 40'HC:126

Standard Features

Quick and Deep Freezing
 Mechanical Temperature Control with Adjustable Thermostat
 Environment-friendly Technology
 Fashionable Appearance
 Unique Design of Advertisement Bar
 Environment-friendly Technology
 Low Energy Consumption
 Convenience Weels Design for Easy Moving



SC/SD(W)-336B

Specification

Capacity(L):336
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB,ETL
 Net W*D*H(mm):1034x653x900mm
 Packing W*D*H(mm):1080x720x880mm
 Loading Quantity 40'HC:99

Standard Features

Quick and Deep Freezing
 Mechanical Temperature Control with Adjustable Thermostat
 Environment-friendly Technology
 Fashionable Appearance
 Unique Design of Advertisement Bar
 Environment-friendly Technology
 Low Energy Consumption
 Convenience Weels Design for Easy Moving



SC/SD(W)-396B

Specification

Capacity(L):396
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB,ETL
 Net W*D*H(mm):1234x653x900mm
 Packing W*D*H(mm):1280x720x880mm
 Loading Quantity 40'HC:81

Standard Features

Quick and Deep Freezing
 Mechanical Temperature Control with Adjustable Thermostat
 Environment-friendly Technology
 Fashionable Appearance
 Unique Design of Advertisement Bar
 Environment-friendly Technology
 Low Energy Consumption
 Convenience Weels Design for Easy Moving

SHOWCASE FREEZER

Changer Showcase Freezer



SC/SD(W)-456B

Specification

Capacity(L):456
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB,ETL
 Net W*D*H(mm):1434x653x900mm
 Packing W*D*H(mm):1480x720x880mm
 Loading Quantity 40'HC:72

Standard Features

Quick and Deep Freezing
 Mechanical Temperature Control with Adjustable Thermostat
 Environment-friendly Technology
 Fashionable Appearance
 Unique Design of Advertisement Bar
 Environment-friendly Technology
 Low Energy Consumption
 Convenience Weels Design for Easy Moving



SC/SD(W)-516B

Specification

Capacity(L):516
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB,ETL
 Net W*D*H(mm):1634x653x900mm
 Packing W*D*H(mm):1680x720x880mm
 Loading Quantity 40'HC:63

Standard Features

Quick and Deep Freezing
 Mechanical Temperature Control with Adjustable Thermostat
 Environment-friendly Technology
 Fashionable Appearance
 Unique Design of Advertisement Bar
 Environment-friendly Technology
 Low Energy Consumption
 Convenience Weels Design for Easy Moving




SC/SD(W)-156

Specification

Capacity(L):156
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB,ETL
 Net W*D*H(mm):610x653x900mm
 Packing W*D*H(mm):656x720x880mm
 Loading Quantity 40'HC:162

Standard Features

Quick and Deep Freezing
 Mechanical Temperature Control with Adjustable Thermostat
 Environment-friendly Technology
 Fashionable Appearance
 Unique Design of Advertisement Bar
 Environment-friendly Technology
 Low Energy Consumption
 Convenience Weels Design for Easy Moving



Inner LED Lamp Available



SC/SD(W)-256

Specification

Capacity(L):256
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB,ETL
 Net W*D*H(mm):834x653x900mm
 Packing W*D*H(mm):880x720x880mm
 Loading Quantity 40'HC:126

Standard Features

Quick and Deep Freezing
 Mechanical Temperature Control with Adjustable Thermostat
 Environment-friendly Technology
 Fashionable Appearance
 Unique Design of Advertisement Bar
 Environment-friendly Technology
 Low Energy Consumption
 Convenience Weels Design for Easy Moving

SHOWCASE FREEZER

Changer Showcase Freezer



SC/SD(W)-336

Specification

Capacity(L):336
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB,ETL
 Net W*D*H(mm):1034x653x900mm
 Packing W*D*H(mm):1080x720x880mm
 Loading Quantity 40'HC:99

Standard Features

Quick and Deep Freezing
 Mechanical Temperature Control with Adjustable Thermostat
 Environment-friendly Technology
 Fashionable Appearance
 Unique Design of Advertisement Bar
 Environment-friendly Technology
 Low Energy Consumption
 Convenience Weels Design for Easy Moving



SC/SD(W)-396

Specification

Capacity(L):396
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB,ETL
 Net W*D*H(mm):1234x653x900mm
 Packing W*D*H(mm):1280x720x880mm
 Loading Quantity 40'HC:81

Standard Features

Quick and Deep Freezing
 Mechanical Temperature Control with Adjustable Thermostat
 Environment-friendly Technology
 Fashionable Appearance
 Unique Design of Advertisement Bar
 Environment-friendly Technology
 Low Energy Consumption
 Convenience Weels Design for Easy Moving



SC/SD(W)-456

Specification

Capacity(L):456
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB,ETL
 Net W*D*H(mm):1434x653x900mm
 Packing W*D*H(mm):1480x720x880mm
 Loading Quantity 40'HC:72

Standard Features

Quick and Deep Freezing
 Mechanical Temperature Control with Adjustable Thermostat
 Environment-friendly Technology
 Fashionable Appearance
 Unique Design of Advertisement Bar
 Environment-friendly Technology
 Low Energy Consumption
 Convenience Weels Design for Easy Moving



SC/SD(W)-516

Specification

Capacity(L):516
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB,ETL
 Net W*D*H(mm):1634x653x900mm
 Packing W*D*H(mm):1680x720x880mm
 Loading Quantity 40'HC:63

Standard Features

Quick and Deep Freezing
 Mechanical Temperature Control with Adjustable Thermostat
 Environment-friendly Technology
 Fashionable Appearance
 Unique Design of Advertisement Bar
 Environment-friendly Technology
 Low Energy Consumption
 Convenience Weels Design for Easy Moving

SHOWCASE FREEZER

Changer Showcase Freezer

Top Light-box Available



SC/SD(W)-138


SC/SD(W)-218

Specification

Capacity(L):138
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB,ETL
 Net W*D*H(mm):620x690x900mm
 Packing W*D*H(mm):685x765x870mm
 Loading Quantity 40'HC:153

Standard Features

Quick and Deep Freezing
 Mechanical Temperature Control with Adjustable Thermostat
 Environment-friendly Technology
 Fashionable Appearance
 Unique Design of Advertisement Bar
 Environment-friendly Technology
 Low Energy Consumption
 Convenience Wheels Design for Easy Moving



Inner LED Lamp Available



SC/SD(W)-298

SC/SD(W)-378

Specification

Capacity(L):298
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB,ETL
 Net W*D*H(mm):1020x690x900mm
 Packing W*D*H(mm):1085x765x870mm
 Loading Quantity 40'HC:98

Standard Features

Quick and Deep Freezing
 Mechanical Temperature Control with Adjustable Thermostat
 Environment-friendly Technology
 Fashionable Appearance
 Unique Design of Advertisement Bar
 Environment-friendly Technology
 Low Energy Consumption
 Convenience Wheels Design for Easy Moving

Specification

Capacity(L):378
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB,ETL
 Net W*D*H(mm):1220x690x900mm
 Packing W*D*H(mm):1285x765x870mm
 Loading Quantity 40'HC:81

Standard Features

Quick and Deep Freezing
 Mechanical Temperature Control with Adjustable Thermostat
 Environment-friendly Technology
 Fashionable Appearance
 Unique Design of Advertisement Bar
 Environment-friendly Technology
 Low Energy Consumption
 Convenience Wheels Design for Easy Moving

SHOWCASE FREEZER

Changer Showcase Freezer



SC/SD(W)-458

Specification

Capacity(L):458
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB
 Net W*D*H(mm):1420x690x900mm
 Packing W*D*H(mm):1485x765x870mm
 Loading Quantity 40'HC:72

Standard Features

Quick and Deep Freezing
 Mechanical Temperature Control with Adjustable Thermostat
 Environment-friendly Technology
 Fashionable Appearance
 Unique Design of Advertisement Bar
 Environment-friendly Technology
 Low Energy Consumption
 Convenience Weels Design for Easy Moving



SC/SD(W)-538

Specification

Capacity(L):538
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB
 Net W*D*H(mm):1620x690x900mm
 Packing W*D*H(mm):1685x765x870mm
 Loading Quantity 40'HC:63

Standard Features

Quick and Deep Freezing
 Mechanical Temperature Control with Adjustable Thermostat
 Environment-friendly Technology
 Fashionable Appearance
 Unique Design of Advertisement Bar
 Environment-friendly Technology
 Low Energy Consumption
 Convenience Weels Design for Easy Moving



SC/SD(W)-298A

Specification

Capacity(L):298
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB,ETL
 Net W*D*H(mm):1020x690x905mm
 Packing W*D*H(mm):1085x765x883mm
 Loading Quantity 40'HC:98

Standard Features

Quick and Deep Freezing
 Mechanical Temperature Control with Adjustable Thermostat
 Environment-friendly Technology
 Fashionable Appearance
 Unique Design of Advertisement Bar
 Environment-friendly Technology
 Low Energy Consumption
 Convenience Weels Design for Easy Moving



SC/SD(W)-378A

Specification

Capacity(L):378
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB,ETL
 Net W*D*H(mm):1220x690x905mm
 Packing W*D*H(mm):1285x765x883mm
 Loading Quantity 40'HC:81

Standard Features

Quick and Deep Freezing
 Mechanical Temperature Control with Adjustable Thermostat
 Environment-friendly Technology
 Fashionable Appearance
 Unique Design of Advertisement Bar
 Environment-friendly Technology
 Low Energy Consumption
 Convenience Weels Design for Easy Moving

SHOWCASE FREEZER

Changer Showcase Freezer



SC/SD(W)-226

Specification

Capacity(L):226
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB,ETL
 Net W*D*H(mm):1034x617x830mm
 Packing W*D*H(mm):1081x685x880mm
 Loading Quantity 40'HC:102

Standard Features

Quick and Deep Freezing
 Mechanical Temperature Control with Adjustable Thermostat
 Environment-friendly Technology
 Fashionable Appearance
 Unique Design of Advertisement Bar
 Environment-friendly Technology
 Low Energy Consumption
 Convenience Weels Design for Easy Moving



SC/SD(W)-286

Specification

Capacity(L):286
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB,ETL
 Net W*D*H(mm):1234x617x830mm
 Packing W*D*H(mm):1281x685x880mm
 Loading Quantity 40'HC:81

Standard Features

Quick and Deep Freezing
 Mechanical Temperature Control with Adjustable Thermostat
 Environment-friendly Technology
 Fashionable Appearance
 Unique Design of Advertisement Bar
 Environment-friendly Technology
 Low Energy Consumption
 Convenience Weels Design for Easy Moving



SC/SD(W)-415


Specification

Capacity(L):415
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB,ETL
 Net W*D*H(mm):1314x700x850mm
 Packing W*D*H(mm):1360x764x865mm
 Loading Quantity 40'HC:75

Standard Features

Quick and Deep Freezing
 Mechanical Temperature Control with Adjustable Thermostat
 Environment-friendly Technology
 Fashionable Appearance
 Unique Design of Advertisement Bar
 Environment-friendly Technology
 Low Energy Consumption
 Convenience Weels Design for Easy Moving

Optional



SC/SD(W)-415 glass

Specification

Capacity(L):415(glass)
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB,ETL
 Net W*D*H(mm):1314x700x1250mm
 Packing W*D*H(mm):1360x764x865mm
 Loading Quantity 40'HC:63

Standard Features

Quick and Deep Freezing
 Mechanical Temperature Control with Adjustable Thermostat
 Environment-friendly Technology
 Fashionable Appearance
 Unique Design of Advertisement Bar
 Environment-friendly Technology
 Low Energy Consumption
 Convenience Weels Design for Easy Moving

SHOWCASE FREEZER

Changer Showcase Freezer




SC/SD(W)-535

Specification

Capacity(L):535
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB
 Net W*D*H(mm):1634x700x850mm
 Packing W*D*H(mm):1680x764x865mm
 Loading Quantity 40'HC:63

Standard Features

Quick and Deep Freezing
 Mechanical Temperature Control with Adjustable Thermostat
 Environment-friendly Technology
 Fashionable Appearance
 Unique Design of Advertisement Bar
 Environment-friendly Technology
 Low Energy Consumption
 Convenience Weels Design for Easy Moving



SC/SD(W)-355

Specification

Capacity(L):355
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB,ETL
 Net W*D*H(mm):1100x700x845mm
 Packing W*D*H(mm):1156x774x886mm
 Loading Quantity 40'HC:82

Standard Features

Quick and Deep Freezing
 Mechanical Temperature Control with Adjustable Thermostat
 Environment-friendly Technology
 Fashionable Appearance
 Unique Design of Advertisement Bar
 Environment-friendly Technology
 Low Energy Consumption
 Convenience Weels Design for Easy Moving



SC/SD(W)-455

Specification

Capacity(L):455
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB,ETL
 Net W*D*H(mm):1310x700x845mm
 Packing W*D*H(mm):1366x774x886mm
 Loading Quantity 40'HC:75

Standard Features

Quick and Deep Freezing
 Mechanical Temperature Control with Adjustable Thermostat
 Environment-friendly Technology
 Fashionable Appearance
 Unique Design of Advertisement Bar
 Environment-friendly Technology
 Low Energy Consumption
 Convenience Weels Design for Easy Moving



IL-565

Specification

Capacity(L):565
 Temperature:≤ -18°C
 Climate:N/ST/T
 Refrigerant:R290
 Approval:CE,CB
 Net W*D*H(mm):1800x825x890mm
 Packing W*D*H(mm):1855x875x980mm
 Loading Quantity 40'HC:26

Standard Features

Quick and Deep Freezing
 Mechanical Temperature Control with Adjustable Thermostat
 Environment-friendly Technology
 Fashionable Appearance
 Unique Design of Advertisement Bar
 Environment-friendly Technology
 Low Energy Consumption
 Convenience Weels Design for Easy Moving

V


Changer
Products World
2021

Beverage Cooler
Series



FEATURES

Changer Beverage Cooler



Advertising light box

Advertising light box, publicity and display products more beautiful

LED Light

Light box body food, more clear and intuitive



Convection fan

Let cool air convection, food faster cooling.



Reinforced steel wire rack

Strengthened steel wire rack to better support the food weight, more firmly and more stable.



Lock(Optional)

Safety with lock



Strengthen support

The box is more fixed and the supporting force is stronger.



Double glazing

Double glazing to prevent air cooling

Universal wheel

Easy to move in different directions

BEVERAGE COOLER



BEVERAGE COOLER

Changer Beverage Cooler



SC-120

Specification

Capacity(L):120
 Temperature:0-10°C
 Climate:N/ST/T
 Refrigerant:R134a/R600a
 Approval:CE,CB
 Net W*D*H(mm):545x588x837mm
 Packing W*D*H(mm):585x600x886mm
 Loading Quantity 40'HC:228

Standard Features

Mechanical Temperature Control with Adjustable Thermostat
 Unique Design of Advertisement Bar
 Low Energy Consumption
 Convenience Weels Design for Easy Moving
 Internal fan,can more evenly distribute the cold air in the cabinet
 Adjustable,flexible for storage
 Double tempered layer glass door



SC-170

Specification

Capacity(L):170
 Temperature:0-10°C
 Climate:N/ST/T
 Refrigerant:R134a/R600a
 Approval:CE,CB,ETL
 Net W*D*H:545x620x1340mm
 Packing W*D*H:585x630x1340mm
 Loading Quantity 40'HC:150

Standard Features

Mechanical Temperature Control with Adjustable Thermostat
 Unique Design of Advertisement Bar
 Low Energy Consumption
 Convenience Weels Design for Easy Moving
 Internal fan,can more evenly distribute the cold air in the cabinet
 Adjustable,flexible for storage
 Double tempered layer glass door



SC-250

Specification

Capacity(L):250
 Temperature:0-10°C
 Climate:N/ST/T
 Refrigerant:R134a/R600a
 Approval:CE,CB
 Net W*D*H:545x620x1727mm
 Packing W*D*H:585x630x1756mm
 Loading Quantity 40'HC:101

Standard Features

Mechanical Temperature Control with Adjustable Thermostat
 Unique Design of Advertisement Bar
 Low Energy Consumption
 Convenience Weels Design for Easy Moving
 Internal fan,can more evenly distribute the cold air in the cabinet
 Adjustable,flexible for storage
 Double tempered layer glass door



CL-310

Specification

Capacity(L):310
 Temperature:0-10°C
 Climate:N/ST/T
 Refrigerant:R134a/R600a
 Approval:CE,CB
 Net W*D*H:600x665x1727mm
 Packing W*D*H:645x675x1766mm
 Loading Quantity 40'HC:73

Standard Features

Mechanical Temperature Control with Adjustable Thermostat
 Unique Design of Advertisement Bar
 Low Energy Consumption
 Convenience Weels Design for Easy Moving
 Internal fan,can more evenly distribute the cold air in the cabinet
 Adjustable,flexible for storage
 Double tempered layer glass door

BEVERAGE COOLER

Changer Beverage Cooler



Bottle opener Available



SC-350

Specification

Capacity(L):350
 Temperature:0-10°C
 Climate:N/ST/T
 Refrigerant:R134a/R600a
 Approval:CE,CB
 Net W*D*H(mm):600x665x1877mm
 Packing W*D*H(mm):645x675x1916mm
 Loading Quantity 40'HC:72

Standard Features

Mechanical Temperature Control with Adjustable Thermostat
 Unique Design of Advertisement Bar
 Low Energy Consumption
 Convenience Weels Design for Easy Moving
 Internal fan,can more evenly distribute the cold air in the cabinet
 Adjustable,flexible for storage
 Double tempered layer glass door



Side LED Available



SC-388

Specification

Capacity(L):388
 Temperature:0-10°C
 Climate:N/ST/T
 Refrigerant:R134a/R290a
 Approval:CE,CB
 Net W*D*H:660x720x2205mm
 Packing W*D*H:715x760x2265mm
 Loading Quantity 40'HC:48

Standard Features

Mechanical Temperature Control with Adjustable Thermostat
 Unique Design of Advertisement Bar
 Low Energy Consumption
 Convenience Weels Design for Easy Moving
 Internal fan,can more evenly distribute the cold air in the cabinet
 Adjustable,flexible for storage
 Double tempered layer glass door




SC-528

Specification

Capacity(L):528
 Temperature:0-10°C
 Climate:N/ST/T
 Refrigerant:R134a/R290a
 Approval:CE,CB
 Net W*D*H:850x720x2205mm
 Packing W*D*H:905x760x2265mm
 Loading Quantity 40'HC:39

Standard Features

Mechanical Temperature Control with Adjustable Thermostat
 Unique Design of Advertisement Bar
 Low Energy Consumption
 Convenience Weels Design for Easy Moving
 Internal fan,can more evenly distribute the cold air in the cabinet
 Adjustable,flexible for storage
 Double tempered layer glass door



SC-370

Specification

Capacity(L):370
 Temperature:0-10°C
 Climate:N/ST/T
 Refrigerant:R134a/R600a
 Approval:CE,CB
 Net W*D*H:595x615x1995mm
 Packing W*D*H:650x645x2000mm
 Loading Quantity 40'HC:72

Standard Features

Mechanical Temperature Control with Adjustable Thermostat
 Unique Design of Advertisement Bar
 Low Energy Consumption
 Convenience Weels Design for Easy Moving
 Internal fan,can more evenly distribute the cold air in the cabinet
 Adjustable,flexible for storage
 Double tempered layer glass door

BEVERAGE COOLER

Changer Beverage Cooler



SC-380

Specification

Capacity(L):380
 Temperature:0-10°C
 Climate:N/ST/T
 Refrigerant:R134a/R600a
 Approval:CE,CB
 Net W*D*H:595x650x1995mm
 Packing W*D*H:650x665x2000mm
 Loading Quantity 40'HC:72

Standard Features

Mechanical Temperature Control with Adjustable Thermostat
 Unique Design of Advertisement Bar
 Low Energy Consumption
 Convenience Weels Design for Easy Moving
 Internal fan,can more evenly distrlbute the cold air in the cabinet
 Adjustable,flexible for storage
 Double tempered layer glass door



SC-440

Specification

Capacity(L):440
 Temperature:0-10°C
 Climate:N/ST/T
 Refrigerant:R134a
 Approval:CE,CB
 Net W*D*H:650x615x1995mm
 Packing W*D*H:705x645x2000mm
 Loading Quantity 40'HC:71

Standard Features

Mechanical Temperature Control with Adjustable Thermostat
 Unique Design of Advertisement Bar
 Low Energy Consumption
 Convenience Weels Design for Easy Moving
 Internal fan,can more evenly distrlbute the cold air in the cabinet
 Adjustable,flexible for storage
 Double tempered layer glass door



SC-450

Specification

Capacity(L):450
 Temperature:0-10°C
 Climate:N/ST/T
 Refrigerant:R134a
 Approval:CE,CB
 Net W*D*H:650x650x1995mm
 Packing W*D*H:705x665x2000mm
 Loading Quantity 40'HC:71

Standard Features

Mechanical Temperature Control with Adjustable Thermostat
 Unique Design of Advertisement Bar
 Low Energy Consumption
 Convenience Weels Design for Easy Moving
 Internal fan,can more evenly distrlbute the cold air in the cabinet
 Adjustable,flexible for storage
 Double tempered layer glass door



SC-460

Specification

Capacity(L):460
 Temperature:0-10°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB
 Net W*D*H:850x590x1970mm
 Packing W*D*H:910x630x2030mm
 Loading Quantity 40'HC:58

Standard Features

Mechanical Temperature Control with Adjustable Thermostat
 Unique Design of Advertisement Bar
 Low Energy Consumption
 Convenience Weels Design for Easy Moving
 Internal fan,can more evenly distrlbute the cold air in the cabinet
 Adjustable,flexible for storage
 Double tempered layer glass door

BEVERAGE COOLER

Changer Beverage Cooler



SC-560

Specification

Capacity(L):560
 Temperature:0-10°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB
 Net W*D*H:850x590x1970mm
 Packing W*D*H:910x630x2030mm
 Loading Quantity 40'HC:58

Standard Features

Mechanical Temperature Control with Adjustable Thermostat
 Unique Design of Advertisement Bar
 Low Energy Consumption
 Convenience Wheels Design for Easy Moving
 Internal fan,can more evenly distribute the cold air in the cabinet
 Adjustable,flexible for storage
 Double tempered layer glass door



SC-600

Specification

Capacity(L):600
 Temperature:0-10°C
 Climate:N/ST/T
 Refrigerant:R134a
 Approval:CE,CB
 Net W*D*H:1000x590x1970mm
 Packing W*D*H:1060x630x2030mm
 Loading Quantity 40'HC:52

Standard Features

Mechanical Temperature Control with Adjustable Thermostat
 Unique Design of Advertisement Bar
 Low Energy Consumption
 Convenience Wheels Design for Easy Moving
 Internal fan,can more evenly distribute the cold air in the cabinet
 Adjustable,flexible for storage
 Double tempered layer glass door



SC-700

Specification

Capacity(L):700
 Temperature:0-10°C
 Climate:N/ST/T
 Refrigerant:R134a
 Approval:CE,CB
 Net W*D*H:1000x590x1970mm
 Packing W*D*H:1060x630x2030mm
 Loading Quantity 40'HC:52

Standard Features

Mechanical Temperature Control with Adjustable Thermostat
 Unique Design of Advertisement Bar
 Low Energy Consumption
 Convenience Wheels Design for Easy Moving
 Internal fan,can more evenly distribute the cold air in the cabinet
 Adjustable,flexible for storage
 Double tempered layer glass door



SC-730

Specification

Capacity(L):730
 Temperature:0-10°C
 Climate:N/ST/T
 Refrigerant:R134a
 Approval:CE,CB
 Net W*D*H:1200x590x1970mm
 Packing W*D*H:1260x630x2030mm
 Loading Quantity 40'HC:37

Standard Features

Mechanical Temperature Control with Adjustable Thermostat
 Unique Design of Advertisement Bar
 Low Energy Consumption
 Convenience Wheels Design for Easy Moving
 Internal fan,can more evenly distribute the cold air in the cabinet
 Adjustable,flexible for storage
 Double tempered layer glass door

BEVERAGE COOLER

Changer Beverage Cooler



SC-880

SC-960

SC-1140

SC-1180

Specification

Capacity(L):880
 Temperature:0-10°C
 Climate:N/ST/T
 Refrigerant:R134a
 Approval:CE,CB
 Net W*D*H:1200x590x1970mm
 Packing W*D*H:1260x630x2030mm
 Loading Quantity 40'HC:37

Standard Features

Mechanical Temperature Control with Adjustable Thermostat
 Unique Design of Advertisement Bar
 Low Energy Consumption
 Convenience Weels Design for Easy Moving
 Internal fan,can more evenly distrlbute the cold air in the cabinet
 Adjustable,flexible for storage
 Double tempered layer glass door

Specification

Capacity(L):960
 Temperature:0-10°C
 Climate:N/ST/T
 Refrigerant:R134a
 Approval:CE,CB
 Net W*D*H:1500x590x2015mm
 Packing W*D*H:1560x630x2050mm
 Loading Quantity 40'HC:33

Standard Features

Mechanical Temperature Control with Adjustable Thermostat
 Unique Design of Advertisement Bar
 Low Energy Consumption
 Convenience Weels Design for Easy Moving
 Internal fan,can more evenly distrlbute the cold air in the cabinet
 Adjustable,flexible for storage
 Double tempered layer glass door

Specification

Capacity(L):1140
 Temperature:0-10°C
 Climate:N/ST/T
 Refrigerant:R134a
 Approval:CE,CB
 Net W*D*H:1500x590x2015mm
 Packing W*D*H:1560x630x2050mm
 Loading Quantity 40'HC:33

Standard Features

Mechanical Temperature Control with Adjustable Thermostat
 Unique Design of Advertisement Bar
 Low Energy Consumption
 Convenience Weels Design for Easy Moving
 Internal fan,can more evenly distrlbute the cold air in the cabinet
 Adjustable,flexible for storage
 Double tempered layer glass door

Specification

Capacity(L):1180
 Temperature:0-10°C
 Climate:N/ST/T
 Refrigerant:R134a
 Approval:CE,CB
 Net W*D*H:1800x590x2015mm
 Packing W*D*H:1860x630x2050mm
 Loading Quantity 40'HC:25

Standard Features

Mechanical Temperature Control with Adjustable Thermostat
 Unique Design of Advertisement Bar
 Low Energy Consumption
 Convenience Weels Design for Easy Moving
 Internal fan,can more evenly distrlbute the cold air in the cabinet
 Adjustable,flexible for storage
 Double tempered layer glass door

BEVERAGE COOLER

Changer Beverage Cooler



SC-1400

Specification

Capacity(L):1400
 Temperature:0-10°C
 Climate:N/ST/T
 Refrigerant:R134a
 Approval:CE,CB
 Net W*D*H:1800x590x2015mm
 Packing W*D*H:1860x630x2050mm
 Loading Quantity 40'HC:25

Standard Features

Mechanical Temperature Control with Adjustable Thermostat
 Unique Design of Advertisement Bar
 Low Energy Consumption
 Convenience Weels Design for Easy Moving
 Internal fan,can more evenly distribute the cold air in the cabinet
 Adjustable,flexible for storage
 Double tempered layer glass door



SC-1000

Specification

Capacity(L):1000
 Temperature:0-10°C
 Climate:N/ST/T
 Refrigerant:R134a/R290
 Approval:CE,CB
 Net W*D*H:1278x761x2262mm
 Packing W*D*H:1332x752x2170mm
 Loading Quantity 40'HC:25

Standard Features

Mechanical Temperature Control with Adjustable Thermostat
 Unique Design of Advertisement Bar
 Low Energy Consumption
 Convenience Weels Design for Easy Moving
 Internal fan,can more evenly distribute the cold air in the cabinet
 Adjustable,flexible for storage
 Double tempered layer glass door



Top Freezer



SCD-270

Specification

Capacity(L):270
 Freezer Capacity(L):80
 Temperature:0-10°C
 Climate:N/ST/T
 Refrigerant:R134a/R600a
 Approval:/
 Net W*D*H:545x620x1733mm
 Packing W*D*H:585x630x1756mm
 Loading Quantity 40'HC:101

Standard Features

Mechanical Temperature Control with Adjustable Thermostat
 Unique Design of Advertisement Bar
 Low Energy Consumption
 Convenience Weels Design for Easy Moving
 Internal fan,can more evenly distribute the cold air in the cabinet
 Adjustable,flexible for storage
 Double tempered layer glass door



SCD-330

Specification

Capacity(L):330
 Freezer Capacity(L):100
 Temperature:0-10°C
 Climate:N/ST/T
 Refrigerant:R134a/R600a
 Approval:/
 Net W*D*H:600x665x1733mm
 Packing W*D*H:645x675x1766mm
 Loading Quantity 40'HC:73

Standard Features

Mechanical Temperature Control with Adjustable Thermostat
 Unique Design of Advertisement Bar
 Low Energy Consumption
 Convenience Weels Design for Easy Moving
 Internal fan,can more evenly distribute the cold air in the cabinet
 Adjustable,flexible for storage
 Double tempered layer glass door

BEVERAGE COOLER

Changer Beverage Cooler



SCD-370

Specification

Capacity(L):370
Freezer Capacity(L):100
Temperature:0-10°C
Climate:N/ST/T
Refrigerant:R134a/R600a
Approval:/
Net W*D*H:600x665x1883mm
Packing W*D*H:645x675x1916mm
Loading Quantity 40'HC:72

Standard Features

Mechanical Temperature Control with Adjustable Thermostat
Unique Design of Advertisement Bar
Low Energy Consumption
Convenience Weels Design for Easy Moving
Internal fan,can more evenly distrlbute the cold air in the cabinet
Adjustable,flexible for storage
Double tempered layer glass door

Changer
Products World
2021

Refrigerating Showcase
Series



REFRIGERATING SHOWCASE

Changer Countertop Display



CL-58R



CL-58R

Specification

Capacity-Gross:64L/2.3c.f.
 Temperature range:0-12°C (32-53.6°F)
 Refrigerant:R134a / R290
 Climate:4
 Overall Dimension:429×425×830mm
 Package Dimension:480×480×885mm
 20" Container:88
 40" Container (high):276

Standard Features

Internal top LED lighting
 Digital temperature controller and display
 Adjustable PVC coated shelves
 4 sides double glass
 Maintenance free condenser
 Ventilated cooling system
 Automatic defrost
 Front and Back 2 curved glass door

Options

Lockable Door
 Adjustable chrome plated shelves
 Brilliant Internal LED illumination on sides



CL-68R



CL-68R

Specification

Capacity-Gross:75L/2.6c.f.
 Temperature range:0-12°C (32-53.6°F)
 Refrigerant:R134a / R290
 Climate:4
 Overall Dimension:429×425×905mm
 Package Dimension:480×480×960mm
 20" Container:88
 40" Container (high):184

Standard Features

Internal top LED lighting
 Digital temperature controller and display
 Adjustable PVC coated shelves
 4 sides double glass
 Maintenance free condenser
 Ventilated cooling system
 Automatic defrost
 Front and Back 2 curved glass door

Options

Lockable Door
 Adjustable chrome plated shelves
 Brilliant Internal LED illumination on sides



CL-78R



CL-78R

Specification

Capacity-Gross:86L/3.0c.f.
 Temperature range:0-12°C (32-53.6°F)
 Refrigerant:R134a / R290
 Climate:4
 Overall Dimension:429×425×980mm
 Package Dimension:480×480×1035mm
 20" Container:88
 40" Container (high):184

Standard Features

Internal top LED lighting
 Digital temperature controller and display
 Adjustable PVC coated shelves
 4 sides double glass
 Maintenance free condenser
 Ventilated cooling system
 Automatic defrost
 Front and Back 2 curved glass door

Options

Lockable Door
 Adjustable chrome plated shelves
 Brilliant Internal LED illumination on sides



CL-98R



CL-98R

Specification

Capacity-Gross:98L/3.5c.f.
 Temperature range:0-12°C (32-53.6°F)
 Refrigerant:R134a / R290
 Climate:4
 Overall Dimension:429×425×1080mm
 Package Dimension:480×480×1135mm
 20" Container:88
 40" Container (high):184

Standard Features


Internal top LED lighting
 Digital temperature controller and display
 Adjustable PVC coated shelves
 4 sides double glass
 Maintenance free condenser
 Ventilated cooling system
 Automatic defrost
 Front and Back 2 curved glass door

Options

Lockable Door
 Adjustable chrome plated shelves
 Brilliant Internal LED illumination on sides

REFRIGERATING SHOWCASE

Changer Countertop Display



CL-58
(Lightbox)

816mm
452mm
452mm
406mm

956mm
452mm
452mm
406mm

Internal Lighting, Lockable, LED Lights, Digital Controller

CL-58

Specification


Capacity-Gross:58L/2.0c.f.
 Temperature range:0-12°C (32-53.6°F)
 Refrigerant:R134a / R290
 Climate:4
 Overall Dimension:452×406×816(956)mm
 Package Dimension:502×456×855mm
 20" Container:112
 40" Container (high):351

Standard Features

Internal top LED lighting
 Digital temperature controller and display
 Adjustable PVC coated shelves
 4 sides double tempered glass
 Maintenance free condenser
 Ventilated cooling system
 Automatic defrost
 Air duct outside the glass to remove condensation water

Options

Lockable Door
 Adjustable chrome plated shelves
 Brilliant Internal LED illumination on sides
 Top light box with LED



CL-68
(Lightbox)

891mm
452mm
452mm
406mm

1031mm
452mm
452mm
406mm

Internal Lighting, Lockable, LED Lights, Digital Controller

CL-68

Specification

Capacity-Gross:68L/2.4c.f.
 Temperature range:0-12°C (32-53.6°F)
 Refrigerant:R134a / R290
 Climate:4
 Overall Dimension:452×406×891(1031)mm
 Package Dimension:502×456×930mm
 20" Container:112
 40" Container (high):234

Standard Features

Internal top LED lighting
 Digital temperature controller and display
 Adjustable PVC coated shelves
 4 sides double tempered glass
 Maintenance free condenser
 Ventilated cooling system
 Automatic defrost
 Air duct outside the glass to remove condensation water

Options

Lockable Door
 Adjustable chrome plated shelves
 Brilliant Internal LED illumination on sides
 Top light box with LED



CL-78
(Lightbox)

966mm
452mm
452mm
406mm

1106mm
452mm
452mm
406mm

Internal Lighting, Lockable, LED Lights, Digital Controller

CL-78

Specification

Capacity-Gross:78L/2.8c.f.
 Temperature range:0-12°C (32-53.6°F)
 Refrigerant:R134a / R290
 Climate:4
 Overall Dimension:452×406×966(1106)mm
 Package Dimension:502×456×1005mm
 20" Container:112
 40" Container (high):234

Standard Features

Internal top LED lighting
 Digital temperature controller and display
 Adjustable PVC coated shelves
 4 sides double tempered glass
 Maintenance free condenser
 Ventilated cooling system
 Automatic defrost
 Air duct outside the glass to remove condensation water

Options

Lockable Door
 Adjustable chrome plated shelves
 Brilliant Internal LED illumination on sides
 Top light box with LED



CL-98
(Lightbox)

1116mm
452mm
452mm
406mm

1256mm
452mm
452mm
406mm

Internal Lighting, Lockable, LED Lights, Digital Controller

CL-98

Specification

Capacity-Gross:98L/3.5c.f.
 Temperature range:0-12°C (32-53.6°F)
 Refrigerant:R134a / R290
 Climate:4
 Overall Dimension:452×406×1116(1256)mm
 Package Dimension:502×456×1155mm
 20" Container:112
 40" Container (high):234

Standard Features


Internal top LED lighting
 Digital temperature controller and display
 Adjustable PVC coated shelves
 4 sides double tempered glass
 Maintenance free condenser
 Ventilated cooling system
 Automatic defrost
 Air duct outside the glass to remove condensation water

Options


Lockable Door
 Adjustable chrome plated shelves
 Brilliant Internal LED illumination on sides
 Top light box with LED

REFRIGERATING SHOWCASE


Changer Standing Display




CL-218



CL-238



CL-218 (Lightbox)



CL-238 (Lightbox)



CL-218



CL-238

Specification

Capacity-Gross:215L/7.6c.f.
 Temperature range:0-12°C (32-53.6°F)
 Refrigerant:R134a / R290
 Climate:4
 Overall Dimension:515×485×1595(1735)mm
 Package Dimension:580×540×1660mm
 20" Container:36
 40" Container (high):80

Standard Features

Internal top LED lighting
 Digital temperature controller and display
 Adjustable PVC coated shelves
 Front curved tempered glass door
 4 sides double glass
 Base Feet
 Ventilated cooling system
 Automatic defrost

Options

Lockable Door
 Adjustable chrome plated shelves
 Brilliant Internal LED illumination on sides
 4 Castors, 2 with brakes
 Top light box with LED



Low energy consumption
 Simple construction and high security
 Air duct outside the glass to remove condensation water

Specification

Capacity-Gross:235L/8.3c.f.
 Temperature range:0-12°C (32-53.6°F)
 Refrigerant:R134a / R290
 Climate:4
 Overall Dimension:515×485×1690(1830)mm
 Package Dimension:580×540×1760mm
 20" Container:36
 40" Container (high):80

Standard Features


Internal top LED lighting
 Digital temperature controller and display
 Adjustable PVC coated shelves
 Front curved tempered glass door
 4 sides double glass
 Base Feet
 Ventilated cooling system
 Automatic defrost

Options


Lockable Door
 Adjustable chrome plated shelves
 Brilliant Internal LED illumination on sides
 4 Castors, 2 with brakes
 Top light box with LED

REFRIGERATING SHOWCASE

Changer Cake Display



CL-288



CL-288 (Lightbox)



CL-288

(Lightbox)

Specification


Capacity-Gross:270L/9.5c.f.
 Temperature range:0-12°C (32-53.6°F)
 Refrigerant:R134a / R290
 Climate:4
 Overall Dimension:515×485×1895(2035)mm
 Package Dimension:580×540×1960mm
 20" Container:36
 40" Container (high):80

Standard Features

Internal top LED lighting
 Digital temperature controller and display
 Adjustable PVC coated shelves
 Front curved tempered glass door
 4 sides double glass
 Base Feet
 Ventilated cooling system
 Automatic defrost

Options

Lockable Door
 Adjustable chrome plated shelves
 Brilliant Internal LED illumination on sides
 4 Castors, 2 with brakes
 Top light box with LED



CL-100



CL-100

Specification


Capacity-Gross:100L/3.5c.f.
 Temperature range:2-8°C (35.6-46.4°F)
 Refrigerant:R134a / R290
 Climate:4/6
 Overall Dimension:490×490×1030mm
 Package Dimension:545×545×1075mm
 20" Container:80
 40" Container (high):160

Standard Features

Brilliant Internal LED lighting at 2 sides
 adjustable glass shelves
 Shelf rotatable manually
 Digital temperature control and display
 Double tempered glass
 Ventilated cooling system
 Automatic Defrost
 Automatic closing door
 Stainless steel body base

REFRIGERATING SHOWCASE

Changer Cake Display



CW-270R



CW-270R

Specification


Capacity-Gross:295L/10.4c.f.
 Temperature range:2-8°C (35.6-46.4°F)
 Refrigerant:R134a / R290
 Climate:4
 Overall Dimension:915×675×1220mm
 Package Dimension:1025×765×1280mm
 20" Container:17
 40" Container (high):68

Standard Features

Brilliant Internal LED on top and under each shelf
 2 adjustable glass shelves
 Digital temperature control and display
 Double tempered glass
 4 Castors with 2 brakes
 Ventilated cooling system
 Automatic Defrost

Options

Whole black or white color
 Air ducts at 3 sides to remove condensation water



CW-370R



CW-370R

Specification


Capacity-Gross:400L/14.1c.f.
 Temperature range:2-8°C (35.6-46.4°F)
 Refrigerant:R134a / R290
 Climate:4
 Overall Dimension:1215×675×1220mm
 Package Dimension:1325×765×1280mm
 20" Container:12
 40" Container (high):50

Standard Features

Brilliant Internal LED on top and under each shelf
 2 adjustable glass shelves
 Digital temperature control and display
 Double tempered glass
 4 Castors with 2 brakes
 Ventilated cooling system
 Automatic Defrost

Options

Whole black or white color
 Air ducts at 3 sides to remove condensation water



CW-470R



CW-470R

Specification


Capacity-Gross:500L/17.6c.f.
 Temperature range:2-8°C (35.6-46.4°F)
 Refrigerant:R134a / R290
 Climate:4
 Overall Dimension:1515×675×1220mm
 Package Dimension:1590×735×1245mm
 20" Container:11
 40" Container (high):46

Standard Features

Brilliant Internal LED on top and under each shelf
 2 adjustable glass shelves
 Digital temperature control and display
 Double tempered glass
 4 Castors with 2 brakes
 Ventilated cooling system
 Automatic Defrost

Options

Whole black or white color
 Air ducts at 3 sides to remove condensation water



CW-270



CW-270

Specification

Capacity-Gross:300L/10.6c.f.
 Temperature range:2-8°C (35.6-46.4°F)
 Refrigerant:R134a / R290
 Climate:4
 Overall Dimension:915×675×1210mm
 Package Dimension:1025×765×1280mm
 20" Container:17
 40" Container (high):68

Standard Features



Brilliant Internal LED on top and under each shelf
 2 adjustable glass shelves
 Digital temperature control and display
 Double tempered glass
 4 Castors with 2 brakes
 Ventilated cooling system
 Automatic Defrost

Options


Whole black or white color
 Air ducts at 3 sides to remove condensation water

REFRIGERATING SHOWCASE


Changer Cake Display




CW-370



CW-470



CW-271R



CW-371R



CW-370

Specification

Capacity-Gross:410L/14.5c.f.
 Temperature range:2-8°C (35.6-46.4°F)
 Refrigerant:R134a / R290
 Climate:4
 Overall Dimension:1215×675×1210mm
 Package Dimension:1325×765×1280mm
 20" Container:12
 40" Container (high):50

Standard Features

Brilliant Internal LED on top and under each shelf
 2 adjustable glass shelves
 Digital temperature control and display
 Double tempered glass
 4 Castors with 2 brakes
 Ventilated cooling system
 Automatic Defrost

Options

Whole black or white color
 Air ducts at 3 sides to remove condensation water



CW-470

Specification


Capacity-Gross:510L/18.0c.f.
 Temperature range:2-8°C (35.6-46.4°F)
 Refrigerant:R134a / R290
 Climate:4
 Overall Dimension:1515×675×1210mm
 Package Dimension:1590×735×1245mm
 20" Container:11
 40" Container (high):46

Standard Features

Brilliant Internal LED on top and under each shelf
 2 adjustable glass shelves
 Digital temperature control and display
 Double tempered glass
 4 Castors with 2 brakes
 Ventilated cooling system
 Automatic Defrost

Options

Whole black or white color
 Air ducts at 3 sides to remove condensation water



CW-271R

Specification

Capacity-Gross:390L/13.7c.f.
 Temperature range:2-8°C (35.6-46.4°F)
 Refrigerant:R134a / R290
 Climate:4
 Overall Dimension:925×680×1410mm
 Package Dimension:1045×785×1655mm
 20" Container:14
 40" Container (high):30

Standard Features

Brilliant Internal LED on top and under each shelf
 2 adjustable glass shelves
 Digital temperature control and display
 Double tempered glass
 4 Castors with 2 brakes
 Ventilated cooling system
 Automatic Defrost

Options

Whole black or white color
 Air ducts at 3 sides to remove condensation water



CW-371R

Specification

Capacity-Gross:530L/18.7c.f.
 Temperature range:2-8°C (35.6-46.4°F)
 Refrigerant:R134a / R290
 Climate:4
 Overall Dimension:1225×680×1410mm
 Package Dimension:1345×785×1655mm
 20" Container:11
 40" Container (high):23

Standard Features

Brilliant Internal LED on top and under each shelf
 2 adjustable glass shelves
 Digital temperature control and display
 Double tempered glass
 4 Castors with 2 brakes
 Ventilated cooling system
 Automatic Defrost

Options

Whole black or white color
 Air ducts at 3 sides to remove condensation water

REFRIGERATING SHOWCASE

Changer Cake Display



CW-471R



CW-471R

Specification

Capacity-Gross:670L/23.6c.f.
 Temperature range:0-12°C (32-53.6°F)
 Refrigerant:R290
 Climate:4
 Overall Dimension:1525×680×1410mm
 Package Dimension:1690×830×1610mm
 20" Container:7
 40" Container (high):14

Standard Features

Brilliant Internal LED on top and under each shelf
 2 adjustable glass shelves
 Digital temperature control and display
 Double tempered glass
 4 Castors with 2 brakes
 Ventilated cooling system
 Automatic Defrost

Options

Whole black or white color
 Air ducts at 3 sides to remove condensation water



CW-271



CW-271

Specification

Capacity-Gross:310L/10.9c.f.
 Temperature range:2-8°C (35.6-46.4°F)
 Refrigerant:R134a / R290
 Climate:4
 Overall Dimension:925×680×1420mm
 Package Dimension:1045×785×1655mm
 20" Container:14
 40" Container (high):30

Standard Features


Brilliant Internal LED on top and under each shelf
 2 adjustable glass shelves
 Digital temperature control and display
 Double tempered glass
 4 Castors with 2 brakes
 Ventilated cooling system
 Automatic Defrost

Options

Whole black or white color
 Air ducts at 3 sides to remove condensation water



CW-371



CW-371

Specification

Capacity-Gross:420L/14.8c.f.
 Temperature range:2-8°C (35.6-46.4°F)
 Refrigerant:R134a / R290
 Climate:4
 Overall Dimension:1225×680×1420mm
 Package Dimension:1345×785×1655mm
 20" Container:11
 40" Container (high):23

Standard Features

Brilliant Internal LED on top and under each shelf
 2 adjustable glass shelves
 Digital temperature control and display
 Double tempered glass
 4 Castors with 2 brakes
 Ventilated cooling system
 Automatic Defrost

Options

Whole black or white color
 Air ducts at 3 sides to remove condensation water



CW-471



CW-471

Specification

Capacity-Gross:535L/18.8c.f.
 Temperature range:0-12°C (32-53.6°F)
 Refrigerant:R290
 Climate:4
 Overall Dimension:1525×680×1420mm
 Package Dimension:1690×830×1610mm
 20" Container:7
 40" Container (high):14

Standard Features


Brilliant Internal LED on top and under each shelf
 2 adjustable glass shelves
 Digital temperature control and display
 Double tempered glass
 4 Castors with 2 brakes
 Ventilated cooling system
 Automatic Defrost

Options

Whole black or white color
 Air ducts at 3 sides to remove condensation water

REFRIGERATING SHOWCASE

Changer Countertop Display



CW-100



CW-100

Specification


Capacity-Gross:100L/3.5c.f.
 Temperature range:0-12°C (32-53.6°F)
 Refrigerant:R134a / R290
 Climate:4
 Overall Dimension:682×450×675mm
 Package Dimension:756×524×760mm
 20" Container:90
 40" Container (high):189

Standard Features

Brilliant Internal LED illumination on 2 sides
 Digital temperature controller and display
 Adjustable PVC coated shelves
 4 sides double tempered glass
 Front Curved glass
 Sliding doors at back
 Maintenance free condenser
 Ventilated cooling system
 Automatic defrost

Options

Adjustable chrome plated shelves



CW-120



CW-120

Specification


Capacity-Gross:100L/3.5c.f.
 Temperature range:0-12°C (32-53.6°F)
 Refrigerant:R134a / R290
 Climate:4
 Overall Dimension:702×568×686mm
 Package Dimension:773×627×735mm
 20" Container:81
 40" Container (high):162

Standard Features

Brilliant Internal LED illumination on 2 sides
 Digital temperature controller and display
 Adjustable PVC coated shelves
 4 sides double tempered glass
 Front Curved glass
 Sliding doors at back
 Maintenance free condenser
 Ventilated cooling system
 Automatic defrost

Options

Adjustable chrome plated shelves



CW-160



CW-160

Specification


Capacity-Gross:160L/5.6c.f.
 Temperature range:0-12°C (32-53.6°F)
 Refrigerant:R134a / R290
 Climate:4
 Overall Dimension:880×568×686mm
 Package Dimension:951×627×735mm
 20" Container:63
 40" Container (high):126

Standard Features

Brilliant Internal LED illumination on 2 sides
 Digital temperature controller and display
 Adjustable PVC coated shelves
 4 sides double tempered glass
 Front Curved glass
 Sliding doors at back
 Maintenance free condenser
 Ventilated cooling system
 Automatic defrost

Options

Adjustable chrome plated shelves



CW-200



CW-200

Specification

Capacity-Gross:200L/7.0c.f.
 Temperature range:0-12°C (32-53.6°F)
 Refrigerant:R134a / R290
 Climate:4
 Overall Dimension:1219×568×686mm
 Package Dimension:1290×627×735mm
 20" Container:39
 40" Container (high):84

Standard Features


Brilliant Internal LED illumination on 2 sides
 Digital temperature controller and display
 Adjustable PVC coated shelves
 4 sides double tempered glass
 Front Curved glass
 Sliding doors at back
 Maintenance free condenser
 Ventilated cooling system
 Automatic defrost

Options


Adjustable chrome plated shelves

REFRIGERATING SHOWCASE


Changer Sushi Display




CS-42






CS-52



CS-62



CS-132



CS-42



CS-52



CS-62



CS-132

Specification

Capacity-Gross:42L/1.5c.f.
 Temperature range:0-12°C (32-53.6°F)
 Refrigerant:R134a/R290
 Climate:4
 Overall Dimension:1177×420×265mm
 Package Dimension:1177×408×317mm
 20" Container:114
 40" Container (high):287

Standard Features

Brilliant Internal LED illumination on top
 Digital temperature controller and display
 Front Curved glass
 Sliding doors
 Direct cooling system
 Automatic defrost
 Top evaporator with basin to collect condensation
 GN pan can be ordered

Specification

Capacity-Gross:52L/1.8c.f.
 Temperature range:0-12°C (32-53.6°F)
 Refrigerant:R134a/R290
 Climate:4
 Overall Dimension:1352×420×265mm
 Package Dimension:1352×408×317mm
 20" Container:84
 40" Container (high):224

Standard Features

Brilliant Internal LED illumination on top
 Digital temperature controller and display
 Front Curved glass
 Sliding doors
 Direct cooling system
 Automatic defrost
 Top evaporator with basin to collect condensation
 GN pan can be ordered

Specification

Capacity-Gross:62L/2.2c.f.
 Temperature range:0-12°C (32-53.6°F)
 Refrigerant:R134a/R290
 Climate:4
 Overall Dimension:1529×420×265mm
 Package Dimension:1529×408×317mm
 20" Container:84
 40" Container (high):203

Standard Features

Brilliant Internal LED illumination on top
 Digital temperature controller and display
 Front Curved glass
 Sliding doors
 Direct cooling system
 Automatic defrost
 Top evaporator with basin to collect condensation
 GN pan can be ordered

Specification

Capacity-Gross:132L/4.7c.f.
 Temperature range:0-12°C (32-53.6°F)
 Refrigerant:R134a/R290
 Climate:4
 Overall Dimension:1800×420×265mm
 Package Dimension:1800×408×317mm
 20" Container:72
 40" Container (high):168

Standard Features

Brilliant Internal LED illumination on top
 Digital temperature controller and display
 Front Curved glass
 Sliding doors
 Direct cooling system
 Automatic defrost
 Top evaporator with basin to collect condensation
 GN pan can be ordered

REFRIGERATING SHOWCASE

Changer Open Display



CF-220

CF-220

Specification

Capacity-Gross:220L/7.8c.f.
 Temperature range:2-10°C (35.6-50°F)
 Refrigerant:R404a/R290
 Climate:6
 Overall Dimension:494×674×1742mm
 Package Dimension:565×720×1918mm
 20" Container:32
 40" Container (high):64

Standard Features

Brilliant Internal LED Lighting on top and under each shelf
 Digital temperature controller and display
 Adjustable stainless steel shelves
 4 Castors with 2 brakes
 2 Sides safety glass
 With night curtain
 Ventilated cooling system
 Automatic defrost
 Stainless steel
 Condensator at back side, free maintenance
 Condensation water evaporated automatically



CF-250

CF-250

Specification

Capacity-Gross:250L/8.8c.f.
 Temperature range:2-10°C (35.6-50°F)
 Refrigerant:R404a/R290
 Climate:6
 Overall Dimension:610×754×1704mm
 Package Dimension:691×830×1890mm
 20" Container:21
 40" Container (high):44

Standard Features

Brilliant Internal LED lighting on top and under each shelf
 Digital temperature controller and display
 4 Castors with 2 brakes
 Double tempered glass
 With night curtain
 Ventilated cooling system
 Automatic defrost
 Filter mesh in front of the base
 Adjustable shelves
 Condensation water evaporated automatically
 Condensator at back side, free maintenance



CF-230

CF-230

Specification

Capacity-Gross:230L/13.4c.f.
 Temperature range:2-10°C (35.6-50°F)
 Refrigerant:R404a/R290
 Climate:6
 Overall Dimension:600×890×1520mm
 Package Dimension:660×950×1700mm
 20" Container:20
 40" Container (high):41

Standard Features

Brilliant Internal LED Lighting on top and under each shelf
 Digital temperature controller and display
 Adjustable stainless steel shelves
 4 Castors with 2 brakes
 2 Sides safety glass
 With night curtain
 Ventilated cooling system
 Automatic defrost
 Stainless steel
 Condensator at back side, free maintenance
 Condensation water evaporated automatically

Condensation water evaporated automatically



CF-380

CF-380

Specification

Capacity-Gross:380L/13.4c.f.
 Temperature range:2-10°C (35.6-50°F)
 Refrigerant:R404a/R290
 Climate:6
 Overall Dimension:1000×890×1520mm
 Package Dimension:1060×950×1700mm
 20" Container:12
 40" Container (high):24

Standard Features


Brilliant Internal LED lighting on top and under each shelf
 Digital temperature controller and display
 4 Castors with 2 brakes
 Double tempered glass
 With night curtain
 Ventilated cooling system
 Automatic defrost
 Filter mesh in front of the base
 Adjustable shelves
 Condensation water evaporated automatically
 Condensator at back side, free maintenance

REFRIGERATING SHOWCASE

Changer Open Display



CF-390



CF-390S



CF-390

Specification

Capacity-Gross:320L/11.3c.f.
 Temperature range:2-10°C (35.6-50°F)
 Refrigerant:R404a/R290
 Climate:4
 Overall Dimension:920×847×1510mm
 Package Dimension:990×920×1660mm
 20" Container:12
 40" Container (high):24

Standard Features

Brilliant Internal LED lighting at 2 front sides
 Digital temperature controller and display
 4 Castors with 2 brakes
 Double tempered glass
 With night curtain
 Ventilated cooling system
 Automatic defrost
 Filter mesh in front of the base
 Adjustable shelves
 Condensation water evaporated automatically
 Condensator at back side, free maintenance



CF-390S

Specification


Capacity-Gross:320L/11.3c.f.
 Temperature range:2-10°C (35.6-50°F)
 Refrigerant:R404a/R290
 Climate:4
 Overall Dimension:918×792×1459mm
 Package Dimension:990×880×1600mm
 20" Container:12
 40" Container (high):24

Standard Features

Brilliant Internal LED lighting at 2 front sides
 Digital temperature controller and display
 4 Castors with 2 brakes
 Double tempered glass
 With night curtain
 Ventilated cooling system
 Automatic de frost
 Filter mesh in front of the base
 Adjustable shelves
 Stainless steel body
 Condensation water evaporated automatically
 Condensator at back side, free maintenance

REFRIGERATING SHOWCASE

Changer Hot Display



HW-120



HW-120

Specification


Capacity-Gross:120L/4.2c.f.
 Temperature range:30-90°C (86-194°F)
 Rated Input Power:1100W
 Overall Dimension:678×568×686mm
 Package Dimension:749×627×731mm
 20" Container:81
 40" Container (high):162

Standard Features

Brilliant Internal LED illumination on top
 Adjustable temperature controller
 Temperature display
 Adjustable chrome plated shelves
 Front Curved glass
 Sliding doors

Options

Front Square Glass



HW-160



HW-160

Specification

Capacity-Gross:160L/5.6c.f.
 Temperature range:30-90°C (86-194°F)
 Rated Input Power:1500W
 Overall Dimension:856×568×686mm
 Package Dimension:928×627×731mm
 20" Container:63
 40" Container (high):126

Standard Features

Brilliant Internal LED illumination on top
 Adjustable temperature controller
 Temperature display
 Adjustable chrome plated shelves
 Front Curved glass
 Sliding doors

Options

Front Square Glass